



General Supplier

R.U.C. N° 20440453971

E.I.R.L.

BROCHURE

Empresa creada en el 2003 y desde esa fecha hemos experimentado un rápido y constante crecimiento basado principalmente en el grado de especialización adquirido y una marcada orientación hacia el cliente y sus necesidades.

General Supplier es una empresa dedicada a la asesoría y comercialización de productos de sellado de fluidos contando con la representación de marcas reconocidas como Sealtek de Italia – www.sealtek.com siendo estos dispositivos de garantía para el sellado estático, alternativo y dinámico y productos ultra system contra la abrasión, erosión y corrosión. Así mismo con la distribución de productos de la empresa Gen mar latam con sus productos de bujías STITT EEUU - www.genmar-latam.com , con la comercialización de productos de apacc rubber con sus productos tubing coupling, stuffing box, polished rod clamps, cone packing , etc – www.apacrubber.com productos para el sector petrolero.

VISION.

Ser una empresa líder en la asesoría y comercialización de productos de sellados de fluidos en el sector minero, azucarero, pesquero, petrolero, etc.

Asesorar constantemente a los clientes con el servicio de post venta.

MISION.

Trabajar con un plan de mejoras continuas en busca de mejoras de calidad solicitadas y exigidas por nuestros clientes de los diferentes sectores industriales.

Entregarnos en nuestro trabajo al máximo para lograr la excelencia y calidad.

Brindar siempre un trabajo de seguimiento con nuestros técnicos capacitados para una buena asesoría, práctica y dar soluciones a los problemas que se presenten.

Tomar en cuenta cada problema de una empresa como si fuera el nuestro y dar solución.

OBJETIVOS.

Cumplir con las especificaciones y plazos de vida del producto, mejorando la eficacia en el mismo y la satisfacción de nuestros clientes, a través de la innovación en los procesos, promoviendo los valores de la organización optimizando la calidad en el servicio mediante la capacitación permanente a nuestro personal.

Contacto

Telefonos: 044568131 - 958587146 - 947208406

Correos: generalsupplier@hotmail.com - ventas@general-supplier.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

E.I.R.L.

SELLOS MECANICOS



Style 400



Style 410



Style 520-521



Style 522



Style 523-524



Style 530



Style 531



Style 550



Style 551



Style 557



Style 558-559

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.


SELLOS MECANICOS DE INNOVACIÓN.



Style 600 SL



Style 600 SL AB64



Style 606 SL



Style 606 DFS



Style 600 HD



Style 600 HP



Style 600 NMT



Style 688 SPLIT

SELLOS CON FUELLES.



Style 580



Style 780



Style 788



Style 590



Style 790



Style 798

Contacto

Telefonos: 044568131 - 958587146 - 947208406

Correos: generalsupplier@hotmail.com - ventas@general-supplier.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.


SELLOS SISTEMA MODULAR.



Style 770



Style 770 SO



Style 777 SW



Style 670



Style 677 RG



Style 677 SO

SELLOS API 682.



Style 701 API



Style 711 API



Style 730 API



Style 750 API



Style 755 API



Style 770 API



Style 777 API

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.

EMPAQUETADURAS EN CORDON.



Detect-OR



Style 1000



Style 1001



Style 1001 N



Style 1002



Style 1003



Style 1009



Style 1009 X



Style 1023 TANK



Style 1024



Style 1025



Style 1026



Style 1027



Style 1028



Style 1028X



Style 1029



Style 1037



Style 1040



Style 1042



Style 1043



Style 1044



Style 1048



Style 1050



Style 1051



Style 1055-1057



Style 1066



Style 1077



Style 1077 G



Style 1080



Style 1099



Style 1099 R



Style 1111

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.



Style 1300



Extractor Kits



Flexible Packing Extractors




Packings Cutters



Rigid Hook Type
Extractors



Rigid Packing
Extractors



Special Valve
Packing Rigid
Extractor



Ultraseal



Ultraseal Graph



Ultratape

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971


€.I.R.L.

SELLADO CON EMPAQUETADURA EN PASTA.

Style One

Injectable packing compound made with expanded PTFE and graphite short fibers, mixed with tixotropic gel and special additives for heat dissipation. A revolutionary compression packing replacement, offering "zero leakage" conditions in many applications. Chemically inert, so it allows plant standardisation. Eliminates the need of stocking various packing sizes, does not score shafts/sleeves. Simply add a small amount when leakage occurs.


Suggested anti-extrusion rings:



Style Two

Injectable packing compound made with expanded PTFE and graphite short fibers, mixed with tixotropic gel and special additives for heat dissipation. A revolutionary compression packing replacement, offering "zero leakage" conditions in many applications. Chemically inert, so it allows plant standardisation. Eliminates the need of stocking various packing sizes, does not score shafts/sleeves. Simply add a small amount when leakage occurs.

Suggested anti-extrusion rings:



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

E.I.R.L.

Style Five

Injectable packing compound made by virgin PTFE textured fibres and special inert lubricants for extremely high performance. Meets FDA requirements. Ideal for packing pumps and valves in food plants, pharmaceutical and chemical industries and drinking water production. No flushing is required and can be compressed close to "zero leakage".

Suggested anti-extrusion rings:



Style Seven

Injectable packing compound designed for heavy duty applications of high temperature and pressure, made of 100% expanded pure graphite. Suitable for steam valves, boiler feed and hot oil pumps, etc. When correctly installed, this compound can reach the condition of "zero leakage", with similar results to a mechanical seal. No shaft or sleeve scoring. Highly recommended for use on old equipment in bad mechanical condition.

Suggested anti-extrusion rings:



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.

Style TF350

Unique chemical resistant compound based on pure PTFE fibres and expanded PTFE pallets, mixed with special tixotropic lubricants. A great sealant achieving close to zero leakage conditions in packed pumps, valves and other devices with a peripheral speed of up to 8 m/sec. Recommended for use in cryogenic or high temperature applications. Seals almost all fluids including aggressive chemicals. Should never be replaced but only "topped up" whenever necessary.


Suggested anti-extrusion rings:



Style P99-GP

Pure virgin Twaron® fibers mixed with expanded mineral graphite flakes and special tixotropic heat resistant lubricants. This compound is designed for use in heavy duty pumps and valve applications, such as hot water, steam and diathermic oils, due to its excellent capacity for heat dissipation. When correctly applied, it can offer "zero leakage" sealing in many applications. Available also as Style P99 GP, containing anti-friction metal pellets, for specific use in applications with worn shafts of pumps in bad mechanical conditions.

Suggested anti-extrusion rings:



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier


R.U.C. N° 20440453971

€.I.R.L.


EMPAQUETADURAS EN PLANCHAS.




Style 3000



Style 3001



Style 3002



Style 3004




Style 4005



Style 4205



Style 4400



Style 5005



Style 6000



Style 6011



Style 6050

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.

SISTEMA DE ULTRA METAL.



AL-L



AL-P



CE-L



CE-P



CE-SR



CE-WRW



Fast



Flex-Y



ST-HD



ST-HT



ST-L



ST-P



TI-P

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.

CINTAS DE REPARACION DE TUBERIAS.



KIT



Seal-Tex



Seal-Tex XT



Flange-Seal

PIPELINE REPAIR
TAPES KIT



Self-Seal



LEAK-3



GF-HD

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.

KIT DE CINTAS DE REPARACION DE TUBERIAS.



Details:

2× SEAL-TEX 50×1800mm, white.

2× SEAL-TEX 50×3600mm, white.



1× SEAL-TEX 100×3600mm,
white.

1× SEAL-TEX 100×3600mm,
white.



1× SEAL-TEX XT 100×4600mm,
black.

1x SELF-SEAL 25mm×5m, blue.

1x SELF-SEAL 50mm×5m, blue.



1x FLANGE SEAL 50x5mm, grey.

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.

REFERENCIAS.

Style 600SL for oversized shaft

Seller: Innovative Components Solutions Group (ICS)

Sealtek Product: Style 600 SL

Application (fluid): Mixture of Propylene Gas and drying powder

Location / end user: Polinar Petrochemical Company, Tabriz, Iran

Pressure: 2.5 bar

Temperature: 45°C

Other specifications: Shaft size: 250mm

Brand previously used: N/A



SEAL-TEX Sealing Tape

Seller: Planet Asia PTE

Sealtek Product: Seal-Tex

Application (fluid): Oil Therminol VP1, < 100°C

Location / end user: PT. INDORAMA POLYPET PLANT CILEGON, INDONESIA

Pressure: 1BarG

Other specifications: Pipe material: carbon steel. Ø 6 "



Style 600SL TC/TC faces, Latina America sugar factory

Seller: A.C.L. Sociedad Anonima

Sealtek Product: Style 600 SL

Faces: TC/TC

Application (fluid): Alkalized sugar juices, solid content 20%

Location / end user: sugar factory Ingenio Magdalena, Escuintla (Guatemala) - biggest Latin America sugar factory

Pressure: not relevant

Temperature: not relevant

Other specifications: ITT Allis Chalmers 8 x 6-21 Pump



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

E.I.R.L.


VALVULAS DE BOLA

2PC FULL BORE 2000PSI BALL VALVE 2PC全通径2000PSI球阀



Feature
2PC Body Full Bore
Design and manufacture: BS 5351
Test and check: API598
Size 1/2" to 2"
Anti-Static Device
Working Pressure: 2000psi
Fire-safety
Threaded End: BSPT, NPT, DIN2999

特点
2PC结构设计, 全通径流量
设计制造: BS 5351
检验和测试按: API 598
产品规格从 1/2" 到 2"
防静电结构设计
工作压力: 2000psi
防火设计
螺纹端可按: BSPT、NPT、DIN2999 制造



MAIN PARTS AND MATERIALS

NO.	PART NAME	MATERIAL	Q'TY
1	Body	A105N F316	1
2	Seat	PTFE	2
3	Ball	316	1
4	Cap	A105N F316	1
5	Stem	316	1
6	Packing	石墨Graphite	1
7	Handle	304	1
8	Stem nut	304	2
9	Anti static devise	SS	2
10	Stem sealing	PTFE	1
11	Gland	SS316	1
12	Gasket	石墨Graphite	2

DIMENSIONS

NPS	d	G	L	H	W
1/4	6	1/4"-18NPT	60	55	120
3/8	10	3/8"-18NPT	60	60	120
1/2	12.7	1/2"-14NPT	75	65	150
3/4	17.5	3/4"-14NPT	80	72	150
1	22	1"-11-1/2NPT	90	80	170
1-1/4	28.5	1-1/4"-11-1/2NPT	110	80	170
1-1/2	35	1-1/2"-11-1/2NPT	120	105	240
2	47.5	2"-11-1/2NPT	140	114	240

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342, Lima Peru

San Isidro P1 38-II Etapa, Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

E.I.R.L.

HAMMER UNIONS

CNC
FLOW CONTROL



HAMMER UNIONS - FIGURE 200

C&C's Figure 200 is a union of great utility. It meets most requirements in the medium pressure ranges. Precision seating surfaces assure dependable pressure seal. Recommended for water, oil and gas applications where working pressures do not exceed 2,000 PSI NSCWP.

* Interchangeable with other major manufacturers (see warnings on last page)




Specifications

- Sizes: 1" - 10"
- Pressure Rating: 2,000 psi NSCWP
- End Connections: Threaded, Butt-Weld & Socket Weld
 - Butt-Weld Schedules: 40 (Std), 80 (XH)
- Stainless steel also available
- Color Code: Gray Subs / Blue Nut

Standard Service	
NSCWP	Test
2,000 psi	3,000 psi

*All working pressures are Non-Shock Cold Working Pressure Ratings (NSCWP) at ambient temperatures (-20°F to 100°F)



Threaded End Connections

Nominal Pipe Size	1"	1.25"	1.5"	2"	2.5"	3"	4"	6"	8"	10"
Part #	U020100	U021200	U021500	U020200	U022500	U020300	U020400	U020600	U020800	U021000
Material (Sub)	A105	A105	A105	A105	A105	A105	A105	A105	A105	A216 WCB
Material (Nut)	A105	A305 D.L	A305 D.L	A105	A305 D.L	A105	A105	A105	A216 WCB	A216 WCB
Clearance Radius (A)	1.87"	2.50"	2.50"	2.91"	3.66"	3.96"	4.53"	6.125"	7.70"	8.98"
End to End (B)	2.65"	2.78"	2.85"	3.57"	4.31"	4.57"	5.04"	6.75"	7.31"	9.11"
Approx. Weight (lbs)	2.1	3.2	3.3	6.2	10.9	14.7	20.0	47.0	68.0	100.0
Box Quantity	40	30	30	16	8	6	4	1	1	1

Note: 316SS subs and socketweld ends also available

www.cncflowcontrol.com

HU_Figure_200_2021_RevA

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342, Lima Peru

San Isidro P1 38-II Etapa, Trujillo Peru

www.general-supplier.com



General Supplier


R.U.C. N° 20440453971

E.I.R.L.

VALVULA CHECK SWING

DUCTILE IRON SWING CHECK VALVE SERIES: DITBCV

NACE
MR-0175



	PART	MATERIAL
1	BODY	DUCTILE IRON/ASTM A395
2	DISK	304SS/CF8M
3	O-RING SEAL	VITON
4	GASKET	VITON
5	BONNET	DUCTILE IRON/ASTM A395

Flow Coefficient	
SIZE	CV
1"	60
2"	240
3"	665
4"	1300

SPECIFICATIONS

PART #	SIZE	CONNECTION	PRESSURE	WEIGHT	A	B	C	D
1DITVCV-1000	1"	FNPT	1000	5.60	4.72"	3.03"	1"	11.5 NPT
1DITVCV-1500	1"	FNPT	1500	5.60	4.72"	3.03"	1"	11.5 NPT
1DITVCV-2000	1"	FNPT	2000	5.60	4.72"	3.03"	1"	11.5 NPT
2DITVCV-300	2"	FNPT	300	11.60	6.00"	3.94"	2"	11.5 NPT
2LDITVCV-300	2"	FNPT	300	12.60	7.25"	3.94"	2"	11.5 NPT
2DITVCV-600	2"	FNPT	600	11.60	6.00"	3.94"	2"	11.5 NPT
2LDITVCV-600	2"	FNPT	600	12.60	7.25"	3.94"	2"	11.5 NPT
2DITVCV-1000	2"	FNPT	1000	11.60	6.00"	3.94"	2"	11.5 NPT
2LDITVCV-1000	2"	FNPT	1000	12.60	7.25"	3.94"	2"	11.5 NPT
2DITVCV-1500	2"	FNPT	1500	11.60	6.00"	3.94"	2"	11.5 NPT
2LDITVCV-1500	2"	FNPT	1500	12.60	7.25"	3.94"	2"	11.5 NPT
2DITVCV-2000	2"	FNPT	2000	11.60	6.00"	3.94"	2"	11.5 NPT
2LDITVCV-2000	2"	FNPT	2000	12.60	7.25"	3.94"	2"	11.5 NPT
3DITVCV-300	3"	FNPT	300	22.35	8.25"	5.20"	3"	8 NPT
3DITVCV-600	3"	FNPT	600	22.35	8.25"	5.20"	3"	8 NPT
3DITVCV-1000	3"	FNPT	1000	22.35	8.25"	5.20"	3"	8 NPT
3DITVCV-1500	3"	FNPT	1500	22.35	8.25"	5.20"	3"	8 NPT
3DITVCV-2000	3"	FNPT	2000	22.35	8.25"	5.20"	3"	8 NPT
4DITVCV-300	4"	FNPT	300	56.90	10"	7.67"	4"	8 NPT
4DITVCV-600	4"	FNPT	600	56.90	10"	7.67"	4"	8 NPT
4DITVCV-1000	4"	FNPT	1000	56.90	10"	7.67"	4"	8 NPT
4DITVCV-1500	4"	FNPT	1500	56.90	10"	7.67"	4"	8 NPT
4DITVCV-2000	4"	FNPT	2000	56.90	10"	7.67"	4"	8 NPT

* Due to the continuous development of our products, design or construction may change without prior notice

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342, Lima Peru

San Isidro P1 38-II Etapa, Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971


É.I.R.L.



SOMOS REPRESENTANTES DE



- Sistemas y Accesorios de Ignición
- Bujías
- Paneles de Control
- Sistemas GTI Bi-Fuel
- Válvulas Termostáticas y Control
- Arrancadores Neumáticos y de Resorte
- Convertidores Catalíticos
- Monitores y detectores de gas
- Bombas de tornillo y medidores de flujo
- Partes y Motores PSI
- Partes para Compresores
- Partes para motores CAT & Cummins
- Filtros y correas



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342, Lima Peru

San Isidro P1 38-II Etapa, Trujillo Peru


www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

E.I.R.L.



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342, Lima Peru

San Isidro P1 38-II Etapa, Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.

PRODUCTOS APAC RUBBER



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

É.I.R.L.



Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru


www.general-supplier.com



General Supplier

R.U.C. N° 20440453971

€.I.R.L.



**NO VENDEMOS PRODUCTOS, VENDEMOS
SOLUCIONES.**

LA GERENCIA.

Contacto

Telefonos: 044568131 - 947208406 - 958587146

Correos: ventas@general-supplier.com - generalsupplier@hotmail.com

Direcciones: Miraflores - Jorge Chavez 342 , Lima Peru

San Isidro P1 38-II Etapa , Trujillo Peru

www.general-supplier.com